





Part No.	Picture	Dimension	Product Description	
				I
ASR01	9			-
ASR02				
ASR03		-		
ASR04	20			
Adjust Bracket				<u>-</u>
			Ī	
Aw006		Power Supply	1) Wall Led Profile, Double Side Lighting 2) Length: 1M, 2M 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;	



ISO



Part No.	Picture	Dimension	Product Description
Ar60		13.47	1) Suspension Hanging Led Profile 2) Dimension: Φ60MM 3) Length: 1M, 2M 4) PC cover: milky cover; 5) 1M with 2 pcs end caps;
Bc1806 Bendable		12.21	1) Bendable led profile 2) Cover: Clear Frosted, Milky 3) Length: 1M, 2M, 3M; 4) 1M with 2 pcs end caps and 2pcs clips
Af3545		31 31 35	1)Recess Mounting LED Aluminum Profile 2) Clear,frosted and milky cover; 3) Length: 1M, 2M. 4) 1M with 2 pcs end caps; 5) 1M with 2 pcs Metal Mounting Clips.
Aj1817		17.27	1) Good heat sink for high power LED Strip. 2) For surface Mounting Application 3) Length: 1M, 2M, 3M; 4) Metal Endcaps are available. 5) Metal Clips are available.
Aj1920		18.5	1) Recessed Aluminum Profile 2) Special Design for ceiling and wall lighting. 3) Length: 1M, 2M, 3M; 4) 1M with 2 pcs end caps and 2pcs clips;



ISO



Part No.	Picture	Dimension	Product Description
Aj1732		31.45	Suspension Up&Down Lighting LED Profile 1. For max 12MM with led strip 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted or milky cover; 4) One meter including 2 covers+2 end caps+2clips;
Aj1732-C	<i>)</i> -	Connectable	1)10cm length 2) used to connect
Aj1732-SR			1) Steel Rope for Suspension. wire length: 1.5Meter 2) One set with clips (two pieces)
Ba4420		23.15	1. For max 15MM width led strip 2) Length: 1M, 1.5M, 2M; 3) PC cover: frosted or milky cover; 4) One meter with 2 covers+2 end caps+2clips; * other connectors needed please advise
Ba4420-ACC		/	Different connectors of Ba4420 Direct Connectors L Shape connectors X Shape Connectors (Please contact for detail information)







Part No.	Picture	Dimension	Product Description
Ar003		14.5	Wardrobe LED Profile Length: 1M/2M Cover: Frosted
AR003-EC		/	Metal End caps of Ar003 Price is for 1Piece
AR003-HB	77	/	Metal Hanging Bracket of Ar003 Price is for 1Piece
Ar2520		29.92 17.4	1)For 12MM width led strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs springs;
Ar3628		36 28 19 6.2	1)For 19MM width led strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) One meter with 2 end caps and 2 springs clips;



ISO



Part No.	Picture	Dimension	Product Description
AjP001		17 12.5	1) IP68 Plastic profile (PC Frosted and light densed); 2) For 12MM width LED strip; 3) Length: 1M, 2M; 4) 1M with 2 pcs end caps and 2pcs clips;
AjP002		11.4	1) IP68 Plastic profile(PC Frosted and light densed); 2) For 8MM width LED strip; 3) Length: 1M, 2M; 4) 1M with 2 pcs end caps and 2pcs clips;
AjP003	1	9.5	1) Waterproof led profile Anti-UV 2) Length: 1M, 2M 3) One meter with 2 Mounting clips
AjP004	4	19.3 Frost PMMA White PMMA Aluminum Channel	1) Aluminum LED Profile +PVC Plastic profile Waterproof led profile Anti-UV 2) Length: 1M, 2M
Aj1201		10,3	Flat profile for IP002,IP004, for stick led strip 1.3mm thickness



ISO



Part No.	Picture	Dimension	Product Description
Ab1008	000	-8.35- -2- -2- -4-7.84+	Slim led profile 1) Length: 1m/2m/3m 2) Cover: frosted/milky 3) 1 meter with 2 end caps+2 clips
Ab1110	新 新 和	10,80	1. For 8mm width led strip 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: frosted or milky cover; 4) 1 meter with 1covers, 2 end caps + 2 clips;
Ab1110-B	1.	10,80	LED Profile Color: Black 1. For 8mm width led strip 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: frosted or milky cover; 4) 1 meter with 1covers, 2 end caps + 2 clips;
Ab1908		19.2	1) For floors recessed lighting; 2) For 11.5MM width LED strip; 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: Frosted/ Milky cover 5) 1M with 2 pcs end caps;
Ab2626	4	26	1) For floors recessed lighting; 2) For 12MM width LED strip; 3) Length: 1M, 2M; 4) PC cover: Frosted / Milky cover 5) 1M with 2 pcs end caps;
Ac2626		5.6	1) Floor Aluminum Profile 2) 2000Kg Load Resistance. 3) PC Cover: Frosted 4) Length: 1M, 2M 5) 1M with 2 pcs plastic end caps; (metal \$0.55/PC) 6) 17mm opening for wide waterproof strips



ISO



Part No.	Picture	Dimension	Product Description
Ac1713	4.	17	1. Connectable led profile 2. Cover: frosted or Milky 3. Length: 1M, 2M, 3M 4. 1 meter with 2 pcs end caps and 2pcs clips (magnet clips or angle clips are also available)
Bw001		17.9 40.7	1) Color, Aluminum Silver 2) For 12 MM width LED strip; 3) Length: 1M and 2M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips;
BW001-W		17.9 10.7	1) Color: White color 2) For 12 MM width LED strip; 3) Length: 1M and 2M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips;
Bw003		60.5	1) Wall lighting Profile 2) For 12 MM width LED strip; 3) Length: 1M and 2M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 end caps and 2 springs clips;
Bc3315		95. 33 15	1) Good heat sink for LED Strip and indirect lighting. 2) For surface/Recessed Mounting Application 3) Length: 1M, 2M, 3M; 4) 1 meter with 2 end caps, 2 clips. 5) White Powder Coating Finish
Bc5320	The state of the s	53 R _{IQ} 2	1) Good heat sink for LED Strip and indirect lighting. 2) For surface/Recessed Mounting Application 3) Length: 1M, 2M, 3M; 4) PC Endcaps are available. 5) 2 Spring Clips per meter 6) White Powder Coating Finish



ISO



Part No.	Picture	Dimension	Product Description
Ac5032		39.18 J 32	1)Surface Mounting LED Aluminum Profile 2) Frost PC Cover 3) Length: 1M, 2M. 4) 1 meter with 2 pcs end caps+2 pcs Metal Clips
Ac6532		65 39.18 32 50	1) Recessed Mounting LED Aluminum Profile 2) Frost PC Cover 3) Length: 1M, 2M. 4) 1 meter with 2 pcs end caps+ 2set spring clips
Ac7532		75	1)Surface Mounting LED Aluminum Profile 2) Frost PC Cover 3) Length: 1M, 2M. 4) 1 meter with 2 pcs end caps+2 pcs Metal Clips
Ac9032		90 75 64.18 32	1) Recessed Mounting LED Aluminum Profile 2) Frost PC Cover 3) Length: 1M, 2M. 4) 1 meter with 2 pcs end caps+ 2set spring clips
Ba3619		46 10 36 18 318.3	1) Cabinet/Closet LED Aluminum Profile 2) Frost PC Cover 3) Length: 1M, 2M, 3M; 4) No Endcap 5) Recessed in wood.







Part No.	Picture	Dimension	Product Description
As001		59.2	1) For stair Down Lighting; 2) For 12MM width LED strip; 3) Length: 1M, 2M 4) PC cover: clear,frosted and milky cover 5) 1M with 2 pcs end caps;
As001-B	A .	59.2	LED Profile Color: Black 1) For stair Down Lighting; 2) For 12MM width LED strip; 3) Length: 1M, 2M; 4) PC cover: clear,frosted and milky cover 5) 1M with 2 pcs end caps;
As002		80.98 61.52 33.99	1) Stair profile with up and down two directions lighting 2) For 10MM width LED strip; Up for 8mm 3) Up Cover: Anti-slip rubbers on the top. 4) Down Cover: clear,frosted and milky cover 3) Length: 1M, 2M; 5) 1M with 2pcs end caps.
As003		65.99 37.15 14.2	Stair nosing LED Profile : Black / Anodized color 1) For 12MM width LED strip; 2) Length: 1M, 2M; 3) PC cover: clear,frosted and milky cover 4) 1M with 2 pcs end caps;
Step1-LED		1	row number/alphabet for cinema Suitable for As001/As002/As003



ISO



Part No.	Picture	Dimension	Product Description
Aj5570		55	Color: Anodized Aluminum Color 1) Surface/suspension Mounting LED Profile 2) Length: 1Meter /2Meter 3) PC Cover: Frosted Cover 4) 1 meter with 2 end caps+ 2pcs clips
Ај5570-В		48.6 18.7 18.7	Color: Matt Black Color 1) Surface/suspension Mounting LED Profile 2) Length: 1Meter /2Meter 3) PC Cover: Frosted Cover 4) 1 meter with 2 end caps+ 2pcs clips
Aj5570-W			Color: Matt White Color 1) Surface/suspension Mounting LED Profile 2) Length: 1Meter /2Meter 3) PC Cover: Frosted Cover 4) 1 meter with 2 end caps+ 2pcs clips
Aj5570-NC		1	New End caps of Aj5570 Side screwing, will not see screw holes at side
Aj5570 Connector	$\Diamond \Diamond \Diamond$	C	Aj5570-C1: straight connector 180° Aj5570-C2: 90°surface connector Aj5570-C3: 90°Vertical Connector
Aj5570-L		1	L Shape: L205mm*W205mm can connect longer with connectors C1







Part No.	Picture	Dimension	Product Description
Aj5570-T		1	T Shape: L240mm*W145mm can connect longer with connectors C1
Aj5570-X	E	1	X Shape: L235mm*W235mm can connect longer with connectors C1



ISO



Part No.	Picture	Dimension	Product Description
Ac5580		555 55.2 47.9	1) Pendant profile can put LED driver inside 2) Powerful but with good heat dispersion. 3) PC Cvoer: Frosted cover; 4) Length: 1M, 2M; 5) 1M with 2 pcs metal end caps;
Bc5580		50.6	Bc5580 profile for interconnection, Connect 2 Ac5580 lamps to become 1 big lamp
Aj9080		86 > 80	1) Pendant profile can put LED driver inside 3) Powerful but with good heat dispersion. 3) PC Cover: Frosted cover; 4) Length: 1M, 2M; 5) 1M with 2 pcs metal end caps; 6) white painted color;
Bj9080		86	Bj9080 profile for interconnection, Connect 2 Aj9080 lamps to become 1 big lamp
Cj9080		7.8 12.5 3	Steel Bar for 2 Aj9080 connect Suitable for Ac5580 and Aj9080



ISO



Part No.	Picture	Dimension	Product Description
PAE001A		153.77	1) Adopting 10pcs of LED Strip in parrellel 2) High luminous for ceiling light or cabinet 3) Powerful but with good heat dispersion. 4) PC Cover: Frosted Cover 5) Length: 1M, 2M; 6) 1M with 2 pcs end caps;
PAE001B		8.29 13.17 151.32 8.84	1) Suspension aluminum profile for PAE001A; 2) Length: 1M, 2M;
PAE001C		72 69:2 95	1) Driver box for aluminum profile PAE001A; 2) Length: 1M, 2M; 3) 1M with 2 pcs metal clips;
Bc2407		11 18.31	1) Reccessed mounting Aluminum Profile 2) Cover: clear,frosted and milky cover; 3) Length: 1M, 2M, 3M; 4) 1M with 2 pcs end caps+ 2 metal clips;
Ac3535		35	1) 2 color, Aluminum and White color 2) For double line LED strip; 3) Length: 1M and 2M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps;







Part No.	Picture	Dimension	Product Description	
Ac3535		35	1) Pendant or surface mounting led profile 2) Cover: clear,frosted and milky cover; 3) High end metal plating endcaps 4) Length: 1M, 2M; 5) 1M with 2 pcs end caps and 2 metal clips;	
Ac3535 Connector	20 00	1	AC3535-C1: straight connector 180° AC3535-C2: 90°surface connector AC3535-C3: 90°Vertical Connector	
At4435		30 30 35 35	1) Recessed profile for 2 lines LED strip; 2) Length: 1M and 2M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs springs; Metal End caps also available, \$0.6/PC	
At4435-SR	e min		Suspension Steel Rope of At4435. Length: 1.5 Meter 1 Set with 2 PCS Including 2 C1 connector clips.	
At001		17.4	1) For 12MM width LED strip; 2) Length: 1M and 2M; 3) PC cover: clear/ frosted/ milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;	



ISO



Part No.	Picture	Dimension	Product Description
Da2114	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 16.8 21	1) For 16MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: milky cover; 4) 1M with 2 pcs end caps and 2pcs metal clips;
Da001		21.8 16.5	1) For 16MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: Only milky cover; 4) 1M with 2 end caps and 2pcs clips
Da02	E	22 16.5	1) For 16MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: Only milky cover; 4) 1M with 2 end caps and 2pcs clips
DA003A		14.11 16.5	1) Pendant or surface mounting led profile 2) Cover: Frosted 3) High end metal plating endcaps 4) Length: 1M, 2M, 3M; 5) 1M with 2 pcs end caps and 2 metal clips; 6) 30 degree beam angle
DA003B		19.5	1) Pendant or surface mounting led profile 2) Cover: Frosted 3) High end metal plating endcaps 4) Length: 1M, 2M, 3M; 5) 1M with 2 pcs end caps and 2 metal clips;







Part No.	Picture	Dimension	Product Description
AD003C		20.1 16.5	1) Pendant or surface mounting led profile 2) Cover: Frosted 3) High end metal plating endcaps 4) Length: 1M, 2M, 3M; 5) 1M with 2 pcs end caps and 2 metal clips;
AD003D		30.5	1) Pendant or surface mounting led profile 2) Cover: Frosted 3) High end metal plating endcaps 4) Length: 1M, 2M, 3M; 5) 1M with 2 pcs end caps and 2 metal clips;
Ad004	3	14.4	1) For 16MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: Only frosted cover; 4) 1M with 2 end caps and 2pcs clips
Ad006	E	27	1) For 16MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: Clear/ frosted/milky cover; 4) 1M with 2 end caps and 2pcs clips
Af001		17.3 12.4 17.4 52.1	1) Flat profile for floors; 2) For 12MM width LED strip; 3) Length: 1M, 2M; 4) PC cover: clear,frosted and milky cover; 5) End Cap: Flat types or Mounting bracket 6) 1M with 2 pcs end caps (2 types for choice)



ISO



Part No.	Picture	Dimension	Product Description
Fa002		12.43	1) Surface mounting Aluminum Profile 2) Length: 1M, 2M, 3M; 3) Cover: clear,frosted and milky cover; 3) 1M with 2 pcs end caps and 2 clips;
Fa003	O. C.	19.71	1) Surface mounting Aluminum Profile 2) Length: 1M, 2M, 3M; 3) Cover: clear,frosted and milky cover; 4)1M with 2 pcs end caps + 2 metal clips;
Ag002		13.	1) For 8mm glass shelf; 2) For 12 MM width LED strip; 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: clear,frosted and milky cover. 5) 1 meter with 2 end caps
Ag003	7	12 9 65	1) LED profile for 8mm glass shelf lighting; 2) For 8MM width LED strip; 3) Length: 1M, 1.5M, 2M and 3M; 4) NO PC Cover and end caps;
Ag005		57.5 58.5 8	1) Good heat sink for high power LED Strip. 2) For 8mm Glass Shelf 3) Length: 1M, 2M 4) 1 meter with 2 metal end caps + clip bar



ISO



Part No.	Picture	Dimension	Product Description
Ag006		10.21	1) Good heat sink for LED Strip. 2) For 8mm Glass Shelf Lighting 3) Length: 1M, 2M 4) No Endcap
AM001A		76.6 36.6 35	1) Holder aluminum profile for AM001B 2) Can place mini power supply inside 3) Length: 1M, 2M; 4) 1M with 2 pcs end caps;
AM001B	8	A 4 31 35	1) Mirror light profile:up and down lighting; 2) Top profile is clipped on the base profile 3) Length: 1M, 2M; 4) PC Cover: Frosted cover 5) 1M with 2 pcs end caps;
Ar2623		20.04	1) For 20 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: milky cover; 4) 1M with 2 pcs end caps;
Ar1818		15.6	1) For 11 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear, frosted and milky cover; 4) 1M with 2 pcs end caps+ 2 metal clips;
Ar002		112.25 Ø20.8	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: frosted and milky cover; 4) 1M with 2 pcs end caps;



ISO



Part No.	Picture	Dimension	Product Description
Ar001		112.22 023.9	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;
AR001-A1	J		ONLY FOR Ar001 Cabinet wall mounting bracket
AR001-A2	-		ONLY FOR Ar001 Angle adjustable wall clips
AR001-A3			Suitable for Ar001& Ar002 A3-Cabinet hanging fixtures
AR001-A4-2			Hanging Rope of Ar001/Ar002 (The adjust the position of suspension wire)
AR001-A5		1 2 4	Suitable for Ar001 A5- Wall mounting fixtures







			•
Part No.	Picture	Dimension	Product Description
Aj2016	Out	16 20 30	1) Corner Aluminum Profile, 60 degree and 30 degree direction changeable. 2) Cover: clear,frosted and milky cover; 3) Length: 1M, 2M, 3M; 4) 1M with 2 pcs end caps + 2 metal clips;
Ak3010			1) Corner Aluminum Profile, Special Design for Window show corner lighting 2) Cover: clear,frosted and milky cover; 3) Length: 1M, 2M, 3M; 4) 1M with 2 pcs end caps + 2 spring clips;
Aj3030		S. 650	1) For double line LED strip; 2) Length: 1M, 2M; 3) PC Cover: Milky cover 4) 1M with 2 pcs end caps and 2pcs clips;
Aj3030-C1			Inside corner connector for Aj3030
Aj3030-C2			Outside corner connector for Aj3030
Aj3030-C3		00	Straight connector for Aj3030



ISO



Part No.	Picture	Dimension	Product Description
Ba3030		30	1) For double line LED strip; 2) Length: 1M, 2M; 3) PC Cover: Milky cover 4) 1M with 2 pcs end caps and 2pcs clips;
Aj1616		16 10.2	1) Corner LED profile; 2) For 10MM width LED strip 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips;
Aj1616-C1	2		Inside corner connector for Aj1616
Aj1616-C2			Outside corner connector for Aj1616
Aj1616-C3			Straight connector for Aj1616
Ba1616		16	1) Square LED profile; 2) For 10MM width LED strip 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: milky cover; 5) 1M with 2 pcs end caps and 2pcs clips;







Part No.	Picture	Dimension	Product Description
Aj1919	1	19 12.11	1) Corner LED profile; 2) For 11MM width LED strip 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips;
Bj1919		18.5	1) Corner LED profile; 2) For 12MM width LED strip 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips.
Cj1919		18.5	1) Corner LED profile; 2) For 12MM width LED strip 3) Length: 1M, 1.5M, 2M and 3M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2 pcs end caps and 2pcs clips.
Aj109		30.9	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;
Aj4535		34.5 17.5 45	1) 2 color, Aluminum and White color 2) For ceiling edge lighting and wall lighting 2) For 12 MM width LED strip; 3) Length: 1M and 2M; 4) PC cover: clear,frosted and milky cover; 5) 1M with 2pcs end caps;



ISO



			Aluminum lea promes
Part No.	Picture	Dimension	Product Description
Aj1506		15.21	1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Aj1506-W		15.21	LED Profile Color: White 1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Ај1506-В		15.21	LED Profile Color: Black 1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Ca1506		6.04	Color: Anodized Silver Color 1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Ca1506-B		6.04	Color: Black Color 1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Aj2206		22.03	1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;



ISO



Part No.	Picture	Dimension	Product Description
Aj1612	331		1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 end caps and 2 metal clips;



ISO



Part No.	Picture	Dimension	Product Description
Aj2212		22.01	1) For 10 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;
As1707		17.4 0 12.4	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
AH1707-B	1:	17.4 Q 12.4	LED Profile Color: Black 1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
EL1707-W		17.4 Number 12.4	LED Profile Color: White 1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Bj1707		9.65 12.39 17.44	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: 60 Degree Clear; 4) 1M with 2 pcs end caps and 2pcs clips;
El2507		23.7 6.1 17.4 Q	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;



ISO



Part No.	Picture	Dimension	Product Description
АК2507-В		23.7 6.1 17.4 & &	LED Profile Color: Black 1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;



ISO



Part No.	Picture	Dimension	Product Description
Db2507	La Carrier	23.66 9.65 12.39 17.44	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: 60 Degree Clear; 4) 1M with 2 pcs end caps;
Ca1715		17.4	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
AG1715-B		17.4	LED Profile Color: Black 1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Az2515		13.6 12.4 15.7	1) For 12 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps;
Ah2310		20.05 10.72	1) For 20 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps and 2pcs clips;
Ak2810		28.05 22.02 20.05	1) For 20 MM width LED strip; 2) Length: 1M, 1.5M, 2M and 3M; 3) PC cover: clear,frosted and milky cover; 4) 1M with 2 pcs end caps + 2 clips;